

Patent
82478-4100

IN THE CLAIMS:

1-8. (Cancelled)

9. (Original) A communication terminal which displays, when a memory dial function is used, a plurality of registered names of parties to which a telephone call is possibly made, and initiates, according to a predetermined operation, the telephone call to a telephone number which corresponds to a selected registered name, comprising:

call destination selection means for selecting one name from the displayed plurality of registered names;

measuring means for measuring a length of time for which the selected registered name is displayed;

first display means for displaying, when the length of time measured by the measuring means exceeds a predetermined length of time, a plurality of telephone numbers and e-mail addresses which correspond to the selected registered name;

second display means for displaying, when the predetermined operation is performed while the plurality of telephone numbers and e-mail addresses is being displayed on the first display means, only the telephone numbers;

telephone number selection means for selecting one telephone number from the plurality of telephone numbers being displayed on the second display means; and

call initiation means for initiating a telephone call to the selected telephone number.

20

469644.1

Patent
82478-4100

10. (Original) The communication terminal of Claim 9

wherein the first display means forms a popup window on part of a screen in which the plurality of registered names are being simultaneously displayed, and displays the plurality of telephone numbers and e-mail addresses of the selected setting item in the popup window.

5

11. (Original) A display method for a communication terminal which displays, when a memory dial function is used, a plurality of registered names of parties to which a telephone call is possibly made, and initiates, according to a predetermined operation, the telephone call to a telephone number which corresponds to a selected registered name, the display method comprising:

10

a first step for selecting one name from the displayed plurality of registered names;

a second step for measuring a length of time for which the selected registered name is displayed;

15

a third step for displaying, when the length of time measured by the second step exceeds a predetermined length of time, a plurality of telephone numbers and e-mail addresses which correspond to the selected registered name;

a fourth step for displaying, when the predetermined operation is performed while the plurality of telephone numbers and e-mail addresses is being displayed by the third step, only the telephone numbers;

20

a fifth step for selecting one telephone number from the plurality of telephone numbers being displayed by the fourth step; and

a sixth step for initiating a telephone call to the selected telephone number.

455644.1

Patent
82478-4100

12. (Original) The communication terminal of Claim 9

wherein the third step includes a seventh step for forming a popup window on part of a screen in which the plurality of registered names are being simultaneously displayed, and displaying the plurality of telephone numbers and e-mail addresses of the selected setting item in
5 the popup window.

13.-14. (Cancelled)

15. (New) A communication terminal having a display that displays a plurality of
10 setting items for related internal functions of the communication terminal, comprising:

an operation unit operable to receive, according to key input, an instruction for selecting a setting item from the plurality of setting items displayed on the display; and

a control unit operable to measure a length of time from when the selected setting item is selected according to the instruction, and when the measured length of time exceeds a
15 predetermined length of time, control such that the display displays a setting value of the selected setting item.

16. (New) The communication terminal of Claim 15 wherein,

when the measured length of time from when the setting item is selected
20 according to the instruction exceeds the predetermined length of time, the control unit controls such that a window that displays the setting value of the selected setting item pops up on part of a display screen of the display.

469644.1

BEST AVAILABLE COPY

Patent
82478-4100

17. (New) The communication terminal of Claim 16 wherein,
while the setting value of the selected setting item is being displayed on the
display, when the operation unit receives, according to key input, an instruction for selecting
another of the setting items, the control unit controls such that display of the setting value is
5 stopped.

18. (New) The communication terminal of claim 15 wherein,
while the setting value of the selected setting item is being displayed on the
display, when the operation unit receives, according to key input, an instruction for selecting
10 another of the setting items, the control unit controls such that display of the setting value is
stopped.

19. (New) A display method for a communication terminal having a display that
displays a plurality of setting items for related internal functions of the communication terminal,
15 the display method comprising:

a first step of receiving, according to key input, an instruction for selecting a
setting item from the plurality of setting items displayed on the display; and

a second step of measuring a length of time from when the selected setting item is
selected according to the instruction, and when the measured length of time exceeds a
20 predetermined length of time, controlling such that the display displays a setting value of the
selected setting item.

459644.1

BEST AVAILABLE COPY

Patent
82478-4100

20. (New) The display method of Claim 19 wherein,
in the second step, when the measured length of time from when the setting item
is selected according to the instruction exceeds the predetermined length of time, control is
performed such that a window that displays the setting value of the selected setting item pops up
5 on part of a display screen of the display.

21. (New) The display method of Claim 20, further comprising:
a third step of, while the setting value of the selected setting item is being
displayed on the display, when the operation unit receives, according to key input, an instruction
10 for selecting another of the setting items, stopping display of the setting value.

22. (New) The display method of Claim 19, further comprising:
a third step of, while the setting value of the selected setting item is being
displayed on the display, when the operation unit receives, according to key input, an instruction
15 for selecting another of the setting items, stopping display of the setting value.

23. (New) A communication terminal comprising:
a display operable to display, when a memory dial function is used, a plurality of
registered names of parties to which a telephone call is possibly made; an operation unit; and a
20 control unit, the communication terminal initiating the telephone call to a telephone number
which corresponds to a registered name selected according to key input with respect to the
operation unit, wherein

Patent
82478-4100

the operation unit receives, according to key input, an instruction for selecting one name from the plurality of registered names displayed on the display, and

the control unit measures a length of time for which the selected registered name is displayed;

5 when the measured length of time exceeds a predetermined length of time, controls such that a plurality of telephone numbers and e-mail addresses which correspond to the selected registered name are displayed on the display,

when a predetermined key input is performed with respect to the operation unit while the plurality of telephone numbers and e-mail addresses which correspond to the selected registered name are being displayed on the display, controls such that only the plurality of telephone numbers are displayed on the display, and

10 when the operation unit receives an instruction for selecting one telephone number from the displayed plurality of telephone numbers, initiating a telephone call to the selected telephone number.

15

24. (New) The communication terminal of Claim 23 wherein,

when the measured length of time for which the selected registered name is displayed exceeds the predetermined length of time, the control unit controls such that a window that displays a plurality of telephone numbers and e-mail addresses of the selected registered name pops up on part of a display screen of the display.

20

25. (New) A display method for a communication terminal including: a display operable to display, when a memory dial function is used, a plurality of registered names of

469644.1

BEST AVAILABLE COPY

Patent
82478-4100

parties to which a telephone call is possibly made; an operation unit; and a control unit, the communication terminal initiating the telephone call to a telephone number which corresponds to a registered name selected according to key input with respect to the operation unit, the display method comprising:

5 a first step of receiving, according to key input, an instruction for selecting one name from the plurality of registered names displayed on the display;

a first step of receiving, according to key input, an instruction for selecting one name from the plurality of registered names displayed on the display;

10 a second step of measuring a length of time for which the selected registered name is displayed;

a third step of, when the measured length of time exceeds a predetermined length of time, controlling such that a plurality of telephone numbers and e-mail addresses which correspond to the selected registered name are displayed on the display;

15 a fourth step of, when a predetermined key input is performed with respect to the operation unit while the plurality of telephone numbers and e-mail addresses which correspond to the selected registered name are being displayed on the display, controlling such that only the plurality of telephone numbers are displayed on the display; and

20 a fifth step of, when the operation unit receives an instruction for selecting one telephone number from the displayed plurality of telephone numbers, initiating a telephone call to the selected telephone number.

26. (New) The communication terminal of Claim 25 wherein,

Patent
82478-4100

in the third step, when the measured length of time for which the selected registered name is displayed exceeds the predetermined length of time, control is performed such that a window that displays a plurality of telephone numbers and e-mail addresses of the selected registered name pops up on part of a display screen of the display.

5

BEST AVAILABLE COPY

469644.1

9